



U N No. 1714

Reg. No./Nr. L4276. Act 36 of 1947 / Wet 36 van 1947

Only to be used by and sold to Co-ops, Mills, Bona fide farmers and Pest Control Operators.

Slegs vir die gebruik deur en verkoop aan Kooperasies, Meule, Bonafide boere en Plaagbeheer-operateurs.

Rodenticide contact gel ready-for-use, for the control of Norwegian and roof rats and house mice.

Knaagdierdoder as kontak jel gereed-vir-gebruik vir die beheer van Noorweegse- en dakrotte en huismuise.

ACTIVE INGREDIENT

Zinc phosphide

40 g/kg

AKTIEWE BESTANDDEEL

Sinkfosfied

Batch No. and Date of Manufacture

Lotnr. en Datum van vervaardiging

Net Mass

Netto massa

Registered by:



National Fumigants

Reg No. 1963/005435/07

P O Box 688, ROODEPOORT, 1725

Telephone No. (011) 769 1300 Fax No. (011) 762 5712

Geregistreer deur



VERY TOXIC



UITERS GIFTIG



WARNINGS:

Handle with extreme care - avoid skin contact (especially broken skin). Toxic to wild life, birds, farm and domestic animals. Keep out of reach of children, uninformed persons and animals. Poisonous if swallowed. Store under lock and key away from food and feed. In contact with water or acids it develops highly poisonous gasses. Containers should be kept dry and tightly closed. Remove all remains of contact gel after treatment. Collect and bury or burn all dead rats and mice. Warn all persons not to eat dead animals or birds. In case of poisoning CALL A PHYSICIAN AND MAKE THIS LABEL AVAILABLE TO HIM.

PRECAUTIONS:

Wear synthetic rubber or PVC gloves when handling contact gel. When working with this material do not drink, eat or smoke. Wash hands with soap and water after handling. Make use of warning labels on places where used. Destroy empty container and NEVER use for any other purpose. Prevent contamination of food, animal feeds, eating utensils and drinking water.

SYMPTOMS OF POISONING:

Odour of garlic in breath, burning pain in the abdomen, intense thirst, vomiting, hemorrhage, delirium, convulsions and coma. Immediate treatment by a physician is imperative. There may be a remission of symptoms for a few days, followed by jaundice, peripheral circulatory collapse, prostration, coma and death.

FIRST AID TREATMENT:

Remove patient from source of poisoning to well-ventilated area and keep him quiet and reassured. Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and cold water. Do not rub skin. Flush contamination out of eyes with clean water for 15 minutes. If swallowed induce vomiting by tickling the back of the throat. Repeat until vomit is clear and free from smell of poison. Administer artificial respiration or closed chest cardiac massage if necessary. Do not apply direct mouth-to-mouth respiration. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN:

If swallowed wash out stomach thoroughly with 0.2% Potassium Permanganate solution. Administer 200ml mineral oil. Do not administer animal or vegetable fats or oils. Further symptoms should be treated symptomatically. Watch for the development of pulmonary oedema.

DIRECTIONS:

Use only as directed.

PEST

Rats / Mice

REMARKS

The Curagel must be applied with care at a distance plus minus 2 - 8 metres apart on top of walls and pipes, and runs of rodents. Apply Curagel thinly. Replenish as required.