

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Insecticide



THIATOX FLY BAIT 100

Reg. No. L 9635 Act/Wet No. 36 of/van 1947
N-AR 1593

2:14/4/2015 - Jun 2017

*A water dispersible granule insecticide for the control of pests as indicated.
'n Water dispergeerbare korrel insekdoder vir die beheer van plae soos aangedui.*

ACTIVE INGREDIENTS / AKTIEWE BESTANDELE

thiamethoxam (neonicotinoid)	100 g/kg	tiametoksam (neonicotinoid)
(Z)-9 tricosene	0.5 g/kg	(Z)-9 trikosiene

IRAC INSECTICIDE GROUP CODE **4A** IRAC INSEKDODER GROEPKODE



Registration holder / Registrasiehouer:

Villa Crop Protection (Pty) Ltd.

Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07

PO Box / Posbus 10413, Aston Manor, 1630

Tel: 011 396 2233

Website / Webblad: www.villacrop.co.za

24 HR EMERGENCY NUMBER:

Griffon Poison Information Centre: 082 446 8946

Namibia: +264 61 299 9924

+264 61 211 111

UN Number: 3077

Willow Set & Print 011 394-4486



CAUTION
VERSIGTIG



GEbruiksAanwysings IngESluit

Date formulated: **VERWYS NA BESONDERHEDE**
Formuleringsdatum: **GEDRUK OP HOUER/SAK**

DIRECTIONS FOR USE ENCLOSED
Batch number: **REFER TO DETAILS PRINTED**
Lotnummer: **ON CONTAINER/BAG**

THIATOX FLY BAIT 100

Reg. No. L 9635 / N-AR 1593 Act/Wet No. 36 of/van 1947

IRAC INSECTICIDE GROUP CODE / IRAC INSEKODER GROEPKODE: 4A

ACTIVE INGREDIENT / AKTIEWE BESTANDEEL:

thiamethoxam (chloro-nicotinyl) / tiametoksam (chloro-nikotiniel)..... 100 g/kg
 (Z)-9 tricosene..... 0.5 g/kg

Registration holder / Registrasiehouer:

VILLA CROP PROTECTION (PTY) LTD.

Co. Reg. No. 1992/002474/07 Mpy. Reg. Nr.

P.O. Box / Posbus 10413, ASTON MANOR, 1630

Tel. (011) 396 2233

CAUTION / VERSIGTIG**WARNINGS**

- Handle with care.
- Will irritate eyes and skin. Avoid contact with eyes and skin.
- Harmful when swallowed, inhaled or absorbed through the skin.
- Dangerous to bees and fish.
- Do not apply directly onto food.
- Store under lock and key in a cool, dry place away from food, feeds, fertilizers and drinking water.
- Keep out of reach of children, uninformed persons and animals.
- Do not apply to surfaces where food is prepared or handled.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions. The action and effect thereof may be effected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label, the occurrence of resistance of the pest against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Harmful if swallowed, absorbed through skin, or inhaled.
- Avoid breathing vapours.
- Avoid eye and skin contact.
- Wear a facemask, rubber gloves and boots when handling, preparing and applying the concentrate.
- Wash with water in the event of accidental eye contact.
- Wash with soap and water after use or in the event of accidental skin contact.
- Wash contaminated clothing after use.
- Do not eat, drink or smoke whilst handling this product, using the toilet or before washing hands and face and change of clothing.
- Prevent contamination of food, feeds, drinking water and eating utensils.
- Thoroughly clean application equipment directly after use and dispose of wash water where it will not contaminate food, grazing, boreholes, rivers or dams.
- Containers and packages must be completely emptied before being disposed of. Shake out thoroughly into the applicator and destroy the empty container thereafter in the described manner.
- Destroy the container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- **In case of poisoning call a doctor and make this label available to him/her.**

ENVIRONMENTAL HAZARDS

- This product is toxic to wildlife, highly toxic to aquatic invertebrates and extremely toxic to fish. Use of the pesticide adjacent to water may affect aquatic organisms. To protect these organisms, do not apply this pesticide within 10 meter from dams, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark.
- To protect the environment, do not allow the pesticide to enter or run off into storm drains, drainage ditches, or surface water.
- Apply this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash the pesticide off the treated area.
- Do not contaminate water when cleaning equipment or disposing of equipment wash water.
- Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.
- Apply this product only as specified on this label.
- When making applications, care should be taken to avoid household pets, particularly fish and reptile pests to the contaminated.
- This product is highly toxic to bees exposed to direct treatment or residues on blooming plants.

SYMPTOMS OF HUMAN POISONING

No cases of poisoning have been described in the general population and none from occupational exposure. However, symptoms that may arise if the product is mishandled and overexposure occurs are: nausea, vomiting, diarrhoea, abdominal pain, ataxia, unsteady gait, hyperexcitability, salivation, tremors and incontinence. Larger doses may cause convulsions and loss of consciousness.

FIRST AID TREATMENT

- **Skin:** Remove contaminated clothing, shoes and leather goods. Wash skin gently and thoroughly with cold water and non-abrasive soap. Do not rub the skin. Apply olive oil to affected areas for prompt relief. Get medical attention if irritation occurs and persists.
- **Eyes:** Rinse eyes with clean water for at least 20 minutes. If irritation occurs and persists, obtain medical attention.
- **Inhalation:** If vapours or mists have been inhaled and irritation has developed, remove the source of contamination or move victim to fresh air. If breathing difficulty or irritation occurs and persists, obtain medical attention.
- **Ingestion:** Have victim rinse mouth thoroughly with water. Have person sip a glass of water if able to swallow. **Obtain medical advice immediately.** Never give anything by mouth to an unconscious person. Treat respiratory difficulty with artificial respiration and oxygen. Qualified medical personnel must perform administration of oxygen.

NOTE TO PHYSICIAN

There is no specific antidote available. This product contains materials that may cause severe pneumonia if aspirated. In cases of ingestion, consider gastric lavage however prevent aspiration. Observe patient for respiratory difficulty from aspiration pneumonia. Treat symptomatically and supportively.

RESISTANCE WARNING

THIATOX FLY BAIT 100 is a group code 4A insecticide. Any insect population may contain individuals naturally resistant to **THIATOX FLY BAIT 100** and other group code 4A insecticides. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. These resistant insects may not be controlled by **THIATOX FLY BAIT 100** or any other group code 4A insecticides. To delay the possible development of insecticide resistance:

- avoid exclusive repeated use of insecticides from the same insecticide group code. Alternate or tank mix with products from different insecticide group codes,
- integrate other control methods (chemical, cultural, biological) into insect control programmes.

For specific information on resistance management contact the registration holder of this product.

AREAS OF USE

USE SITES

Use **THIATOX FLY BAIT 100** as a perimeter, and/or spot treatment in and around structures such as buildings (e.g. houses, hospitals, etc.), food manufacturing, processing and serving establishments (e.g. abattoirs, restaurants, etc), farm crop & animal structures (e.g. greenhouses, poultry pens, stables) and

modes of transport (e.g. aircraft, bussess, rail cars, etc) that flies might be attracted to or need to be prevented from infesting.

- Apply **THIATOX FLY BAIT 100** in areas / on surfaces where House flies congregate such as windowsills and near animal pens, provided the bait is kept out of reach of animals.

USE RESTRICTIONS

- Do not use on walkways used by animals.
- Apply **only** in locations not accessible to children, pets, domestic animals or wildlife. Protect from direct sunlight, water and rainfall.
- Do not apply this product in any room used as a living, eating, sleeping or recovery area by patients, the elderly, or infirm when they are in the room.
- Do not apply to classrooms, nurseries, or daycare facilities when in use.
- Do not apply to institutions, including libraries, sport facilities, etc., when occupants are present in the immediate treatment area.
- Do not apply this product to edible growing crops or stored raw agricultural commodities used for food or feed.
- Do not apply bait where animals can lick the product. Do not apply directly to livestock or livestock feed as illegal residues may result.

DIRECTIONS FOR USE: Use only as directed.

- **THIATOX FLY BAIT 100** is a Fly bait formula containing a House fly sex attractant which encourages both male and female House flies to remain in the treated areas, thereby feeding on the bait.
- **THIATOX FLY BAIT 100** can be applied:
 - Diluted in water (as a spot spray or paint-on) and applied onto surfaces on which Flies are particularly likely to settle (e.g. include window sills, door frames, warm wall areas and areas near animal pens).
 - As is (thus not diluted) in hanging or stationary bait jugs, boxes or other suitable containers.
- **NOTE**
It is recommended to use **THIATOX FLY BAIT 100** as part of an integrated Fly control programme. It is advisable to also use other products with a different mode of action (thus not IRAC Code 4A), such as **Cyros 20 WDG** and **Cyros 500 WDG** for control of Fly larvae in manure as part of a control programme. Most flies do not die on the painted area, but die within a short distance from where they ingested the product.

Application:

- Apply **THIATOX FLY BAIT 100** as a diluted solution onto surfaces on which Flies are particularly likely to settle. Such areas may include window sills, door frames, warm wall areas and areas near animal pens, provided the applied product is kept out of reach of animals.
- Apply **THIATOX FLY BAIT 100** suspension immediately after preparation. Do not treat dirty, highly porous or newly whitewashed walls to prevent loss of long term efficacy.
- **THIATOX FLY BAIT 100** can also be applied in bait stations inside buildings/structures where Flies may be a problem or nuisance, provided the bait stations not accessible to children, pets, domestic animals or wildlife.

Surface Staining:

- **THIATOX FLY BAIT 100** has not stained or caused damage to painted or varnished surfaces, plastics, tiles, or other surfaces when water applied alone causes no damage. However, treat a small area and allow to dry to determine whether staining will occur. To avoid contamination from previous treatments, thoroughly wash out sprayers, hoses and screens with water and detergent before using **THIATOX FLY BAIT 100**. Contamination with other insecticides or pesticides may affect the attractiveness of **THIATOX FLY BAIT 100** adversely.

APPLICATION RATES

<i>Situation</i>	<i>Pest</i>	<i>Dosage rate</i>
<u>Paint on application of diluted formulation:</u>		
<p><u>Outside:</u> Abattoirs, animal housing, domestic dwellings, garbage containers, food processing plants and other industrial and commercial areas</p> <p><u>Around:</u> Industrial sites, feedlot manure heaps, garbage dumps, poultry farms and animal housing (ONLY in areas inaccessible to livestock, domestic animals and children)</p> <p><u>Inside:</u> Commercial and industrial facilities and animal houses (ONLY in areas inaccessible to livestock, domestic animals and children)</p>	Houseflies	<p>This product comes in 2 pack sizes – 125 g and 625 g sachets. Thoroughly mix one 125 g sachet in 100 ml of lukewarm water or a 625 g sachet in 500 ml lukewarm water and apply to 250 m² of ground area. Apply with a clean paint brush or similar brush to areas where house flies tend to sit (see above).</p> <p>The mixture is sufficient to treat a building or structure of 50 m² in ground area. Paint in strips of 25 cm long by 5 cm wide. Approximately 2.5% of the building or structures total surface area (walls and ceilings) should be covered in this way. Alternatively paint strips of cardboard or plastic, or light plastic tiles – these should be suspended from rafters etc. out of the way of any animals.</p>
<u>Application of undiluted formulation granules in bait stations:</u>		
<p><u>Outside:</u> Abattoirs, animal housing, domestic dwellings, garbage containers, food processing plants and other industrial and commercial areas</p> <p><u>Around:</u> Industrial sites, feedlot manure heaps, garbage dumps, poultry farms and animal housing (ONLY in areas inaccessible to livestock, domestic animals and children)</p> <p><u>Inside:</u> Commercial and industrial facilities and animal houses (ONLY in areas inaccessible to livestock, domestic animals and children)</p>	Houseflies	<p>Apply in hanging or stationary bait jugs or boxes in locations not accessible to children, pets, domestic animals or wildlife. Ideally bait jugs should be suspended from rafters or other ceiling structures.</p> <p>Apply approximately 10 g per bait station. The bait can also be moistened slightly in the bait jug or station. Apply 10 to 20 bait stations per 100 m². Monitor bait stations regularly and replenish bait as needed. Bait stations used in this way can also be used to monitor adult house fly numbers over time.</p>

Situation	Pest	Dosage rate
Spot spray application:		
<p>Outside: Abattoirs, animal housing, domestic dwellings, garbage containers, food processing plants and other industrial and commercial areas</p> <p>Around: Industrial sites, feedlot manure heaps, garbage dumps, poultry farms and animal housing (ONLY in areas inaccessible to livestock, domestic animals and children)</p> <p>Inside: Commercial and industrial facilities and animal houses (ONLY in areas inaccessible to livestock, domestic animals and children)</p>	Houseflies	<p>Thoroughly mix one sachet (125 g) in 1 litre of water (a 625 g sachet for 5 litre sprayers). Use lukewarm water. Apply using a suitable compression sprayer at low pressure and using a coarse flat fan nozzle.</p> <p>Apply the spray to house fly resting spots (e.g. window sills, door frames, ceiling strips, poles etc.). House flies tend to settle on any surface where an edge effect is created, and often rest on ceiling areas at night. Apply the product to cover about 30% of the building area - it is a waste of product to apply to large expanses of wall area.</p>

NOTE

Re-apply only when Fly populations start to increase again.

The following products mentioned in this label may be replaced with equivalent products:

- **CYRO 20 WDG** (L 9596) = **CYROZINE 20 WDG** (L 9597) and
- **CYRO 500 WDG** (L 9595) = **CYROZINE 500 WDG** (L 9594).

CYROZINE 20 WDG and/en **CYROZINE 500 WDG** are registered products of / is geregistreerde produkte van
UNIVERSAL CROP PROTECTION (PTY) LTD.

CYRO 20 WDG and/en **CYRO 500 WDG** are registered products of / is geregistreerde produkte van
VILLA CROP PROTECTION (PTY) LTD.