

WARNINGS:

- Poisonous when swallowed or by skin contact.
- Toxic to fish.
- Keep out of reach of children, animals and uninformed persons.
- Store in a cool, dry place away from food and feedstuffs.
- Do not allow to freeze and keep dry.
- Do not store in direct sunlight.
- Keep container closed when not in use.

PRECAUTIONS:

- Do not eat, drink or smoke while applying the bait.
- Apply in areas inaccessible to children and animals.
- Wash hands and exposed skin with soap and water, after work and before meals.
- Do not apply the granules to surfaces on which food or feed is stored, prepared or eaten.
- Prevent contamination of food preparation equipment and eating utensils during application.
- Do not contaminate the bait with other insecticides.
- Destroy empty container and do not re-use for any other purpose.

IMPORTANT:

This product may be harmful to children and domestic animals if ingested. Children and dogs may be attracted to certain products and their packaging. Keep this product safely out of reach of children and domestic animals.

BATCH NO:

DATE OF MANUFACTURE:

EXPIRY DATE:

TROJAN Ant Bait

Reg No./Nr.: L 8999 Act/Wet 36/1947

Professional



Ready-to-use granular bait for the control of ANTS (including the Black and Brown house ants and Argentine-ants) outdoors, around domestic premises, buildings, on lawns, turfgrass and other areas such as parks and golf courses.

'n Gereed vir gebruik lokaas vir die beheer van MIERE (insluitende die swart en bruin huis miere asook Argentynse miere) vir buitenshuis asook binnenshuis, rondom bewoonde persele, geboue, grasperke, sportvelde en ander areas soos parke en golfbane

Active ingredient / Aktiewe bestanddeel:
Hydramethylnon / Hidrametielnon 12 g/kg

200g

REGISTERED & MANUFACTURED BY:



Co. Reg. No. 1961/001744/07

P.O. BOX 3131, KENMARE 1745, JHB, RSA

TEL: +27 11 7691300 • FAX: +27 11 7625712

Emergency No. 082-446-8946

FOR OPTIMAL PERFORMANCE AND SAFETY – REFER TO DETAILS ON THIS LABEL



CAUTION



DIRECTIONS FOR USE: USE ONLY AS DIRECTED

TROJAN ANT BAIT granules exhibit a delayed action and this allows time for transfer of the bait within the colony before the ants die. It is readily transferred from one ant to another- through normal food exchange between the ants within the colony. TROJAN ANT BAIT will be carried back to the nests by foraging workers before it takes effect. When applied as directed, the bait will control many common structure-invading ants before they enter a building.

Reduced activity and dead ants around the entrances of their nests should be noted around 5 – 7 days after baiting. Note: Dead ants will not normally be seen where ants are foraging. Do not apply any other insecticides on top or in a close vicinity to the bait as it may reduce the effectiveness.

SCATTER AND ANT NEST TREATMENT:


Sprinkle the granules lightly on lawns and other areas. Sprinkle approximately 30 g bait around active ant nests. Do not apply the bait directly in or on the nest. The nest should be left undisturbed, as ants will become agitated and may not feed on the bait.

PERIMETER TREATMENT:

Lightly sprinkle the granules in a band of 0,5 m wide around the perimeter of buildings where ants are active. Treat ant trails, cracks and crevices where ants may enter structures.

Acceptance of the bait by ants is dependent on their food preferences which may change depending on the requirements of the nest.

Ants may not be seen to take the bait immediately as they may already be foraging at other food or water sites.



6