

**SAFETY  
GLOVE  
INSIDE**



6 009673 200247

**GEBRUIKSAANWYSINGS:**

Gebruik slegs soos aangedui. Vir gebruik in huise, op plase en industriële persele. RODEX RAT AND MOUSE PELLETS kan rotte en muisse na 'n enkelvoeding dood. Knaagdiere sal binne 4-12 dae vrek. Doeltreffend teen Warfarin bestande rotte en muisse.

1. NOORWEEGSE - EN DAKROT: Plaas RODEX RAT AND MOUSE PELLETS in 'n bedekte aashouer ten einde toegang vir kinders en troeteldiere onmoontlik te maak. Plaas 50 -75g RODEX RAT AND MOUSE PELLETS in houters al langs mure of rotpaadjies, in rotgate en besutte areas waar dit bekend is dat rotte bly of eet. Aashouers moet elke 7 dae ondersoek en korrels word totdat dit nie meer geëet word nie.
2. MUISE: Plaas 15 -20g houters RODEX RAT AND MOUSE PELLETS per houer elke 2 - 4m langs mure of rotpaadjies, in neste en besutte areas waar dit bekend is dat muisse bly of eet. Die enkelvoedingsaksie van RODEX RAT AND MOUSE PELLETS is veral effektief teen muisse met hul klein eetdus en sporadiese voedingsgewoontes.
3. SPRINGHAASROTTE: Plaas 50 - 75g in 'n bedekte aashouer 10m uitmekaar uit of 15 - 20g in aktiewe gate binne - in die kolonie.

**VERDERE INLIGTING BINNE**

Date of Manufacture:  
Vervaardigingsdatum:  
Batch No>:/Lot Nr.:



Reg. No./Nr.: L9293 Act No./Wet Nr.: 36/1947

**RAT & MOUSE PELLETS**

**A HIGHLY ACTIVE ANTICOAGULANT PELLET FOR THE CONTROL OF THE NORWAY RAT, ROOF RAT, THE HOUSE MOUSE AND GERBILLES.**

ACTIVE INGREDIENT :  
Brodifacoum (Anticoagulant).....0,05 g /kg

REGISTERED AND FORMULATED BY:

IPM  
Co. Reg.: 2001/00587/07  
P.O. Box 3131  
Kenmare  
1745  
Tel: (011) 769 - 1300

UN No. 3026



250g

DEVELOPED BY  
 SPS

**DIRECTIONS FOR USE:**

Use only as directed. For use in the home, on the farm and industrial premises. RODEX RAT AND MOUSE PELLETS can kill rats and mice after a single feed. Death of rodents will take 4-12 days. Effective against Warfarin resistant rats and mice.

1. NORWAY - AND ROOF RATS: Place RODEX RAT AND MOUSE PELLETS in a covered bait station to prevent access by children and domestic animals. Place 50 - 75g of RODEX RAT AND MOUSE PELLETS per bait station along walls and active rat runs, in rat burrows and in sheltered areas where rats are known to live or feed. Bait points should be inspected and replenished every 7 days until feeding ceases.
2. MICE: Place 15 - 20g RODEX RAT AND MOUSE PELLETS per bait station every 2 - 4m along walls or runways, in nests and in sheltered areas where mice are known to live and feed. The single feeding action of RODEX RAT AND MOUSE PELLETS is particularly effective against mice with their small appetites and sporadic feeding behaviour.
3. GERBILLE: Place 50 - 75g RODEX RAT AND MOUSE PELLETS in protected bait stations, 10 m apart or 15 - 20g placed into active holes in the colony.

**FURTHER INFORMATION INSIDE**



Reg. No./Nr.: L9293 Act No./Wet Nr.: 36/1947

**RAT & MOUSE PELLETS**

**HOOGS AKTIEWE ANTIBLOEDSTOLLINGS KORRELS VIR DIE BEHEER VAN DIE NOORWEEGSE ROT, DAK ROT, DIE HUISMUIS EN SPRINGHAASROTTE**

AKTIEWE BESTANDDEEL:  
Brodifacoum (Bloedstolwermiddel).....0,05 g /kg

GEREGISTREER EN GEFORMULEER DEUR:

IPM  
Mpy. Reg. Nr.: 2001/00587/07  
Posbus 3131  
Kenmare  
1745  
Tel: (011) 769 - 1300

UN No. 3026



250g

DEVELOPED BY  
 SPS