



AVISNAIL

Reg No.: L2694 Wet / Act 36 / 1947

'n Korrel Maag – en Kontakgif lokaas
vir die beheer van slake en
skulpstekke.

AKTIEWE BESTANDDELE:

Karbaril (Karbamaat)
Metaldehyd


.....20 g/kg.....
.....30 g/kg.....

A Pellet Stomach and Contact
Poison bait for the control of snails
and slugs.

ACTIVE INGREDIENTS:

Carbaryl (Carbamate)
Metaldehyde

INHOUD



CONTENTS

Lot Nr.
Vervaardigingsdatum:

Batch No.
Date of Manufacture:

Geformuleer en versprei deur:

AVIMA (PTY) LTD

Reg. No. 1961/001744/07
Posbus/ P O Box 3131
Kenmare 1745
TEL: (011) 769 1300
FAX: (011) 762 5712

Formulated and distributed by:

WARNINGS:

In case of edible crops, cease application 7 days before harvest. Contents poisonous if taken internally. Keep out of reach of children and pets. Keep away from food and feedstuffs.

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions. The action and effect thereof may be affected by factors such as abnormal storage conditions; quality of water used for dilution, compatibility with other substances not mentioned on this label, the occurrence of pest resistant to the remedy, as well as the method, time and accuracy of the application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation and the environment, or harm to man or animal or for the lack of performance of the remedy due to the failure of the user to follow instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

Wash hands with soap and water after handling. Do not apply onto edible crops. Avoid prolonged skin contact, and inhalation of dust. Store in a dry place. Destroy empty container, and do not re-use for any other purpose.

IMPORTANT:

This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to methaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

DIRECTIONS FOR USE: Use only as directed. Sprinkle small heaps of pellets on the ground around plants and places such as rockeries where snail and slug infestations occur. If possible, apply on warm, damp evenings, after rain or watering, when snails and slugs are most active.

