

DATE ISSUED: 23 October 2002

PREPARED BY: Avima

UPDATED: 17 October 2018



MATERIAL SAFETY DATA SHEET

RODEX BAIT BLOCKS

1. PRODUCT IDENTIFICATION:

Name: Innovative Pest Management (Pty) Ltd
Address: No. 18 Aschenberg Street
Chamdor
Krugersdorp
Tel. Nr.: (011) 769 1300
Fax Nr.: (011) 762 5712
Emergency Tel Nr.: 083 326 3581 / 082 823 4473 **OR** 0800172743
Trade Name: Rodex Bait Blocks

2. COMPOSITION:

Chemical Family: Coumarin anticoagulant
Chemical Name: 3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin
(Active Ingredient)
Molecular Formula: $C_{31}H_{23}BrNO_3$ (Active ingredient)
UN Nr.: 3027
C.A.S. Nr.: [56073-10-0] (Active Ingredient)
Product Description: A HIGHLY ACTIVE anticoagulant bait for the control of the Norway rat, Roof rat, the House mouse and Gerbilles
Hazardous components: Brodifacoum (Anticoagulant) 0.05 g /kg

CONTAINS BITREX FOR PRECAUTIONARY / SAFETY PURPOSES

3. HAZARD IDENTIFICATION:



GHS Signal word: DANGER

Acute Toxicity Oral Category 4

Specific Target Organ toxicity - repeated exposure Category 1

HAZARD STATEMENT:

H302: Harmful if swallowed.

H372: Causes damage to organs through prolonged or repeated exposure.

DATE ISSUED: 23 October 2002

PREPARED BY: Avima

UPDATED: 17 October 2018

PREVENTION

P102: Keep out of reach of children.

P260: Do not breathe dusts.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P281: Use personal protective equipment as required.

RESPONSE

P314: Get medical advice or attention if you feel unwell.

P352: Wash with plenty of soap and water.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

EFFECTS OF OVEREXPOSURE:

Acute hazards / symptoms:

Ingestion: Bleeding from the gums and nose, bleeding under the skin, pallor, haemorrhage into and around elbow and knee joints. Blood in urine and faeces.

4. FIRST AID MEASURES:

Inhalation: Remove patient from further exposure to fresh air.

Skin: Remove contaminated clothing and shoes.
Wash contaminated skin with plenty of soap and water.
Launder contaminated clothing before re-use.

Eyes: First, rinse with plenty of water for at least 15 minutes.
Seek medical attention if irritation persists.

Ingestion: If swallowed induce vomiting by tickling the back part of the throat. Repeat until vomit is clear. Take patient **IMMEDIATELY** to nearest physician.

NOTE TO PHYSICIAN:

Intravenous Vitamin K₁, 10 – 20 mg depending on prothrombin time. In sever cases small transfusions of fresh blood.

5. FIRE-FIGHTING MEASURES:

Flash Point: N/A

Flammability: N/A

Auto ignition Temperature: N/A

Decomposition Temperature: Not available

Acute Hazards: Unlikely in normal use.

Special fire fighting procedures: If a leak or spill has not ignited, use water spray to disperse the vapours and to protect personnel attempting to stop leak. Water spray may be used to flush spills away from exposures. Prevent run-off from fire control or dilution from entering streams, sewers, or drinking water supply.

DATE ISSUED: 23 October 2002

PREPARED BY: Avima

UPDATED: 17 October 2018

Special protective equipment:

Do not breathe fumes. For fires in enclosed areas, fire fighters must use self –contained breathing apparatus, as well as full protective gear.

6. ACCIDENTAL RELEASE MEASURES:

Notification procedures:

Report spills as required to appropriate authorities.

Procedures if material is released or spilled:

Absorb on fire retardant treated sawdust, diatomaceous earth, sand, peat sorb, etc. Shovel in and dispose of at an appropriate waste disposal facility, in accordance with current applicable laws and regulations, and product characteristics at time of disposal.

Environmental Precautions:

Prevent spills from entering storm sewers or drains and contact with soil.

7. HANDLING AND STORAGE:

Suitable Material:

200 ℓ Steel drums, Plastic buckets and plastic bags.

Handling /storage precaution:

Avoid prolonged repeated skin contact. Do not contaminate water, food or feed by storage or disposal. Store in a secure, dry, well –ventilated separate room, building or covered area. Keep away from sources of ignition and protect from exposure to fire and heat separate from incompatible materials. Do not allow entering public sewers and water sources. If contamination of drainage systems or water sources is unavoidable, inform the appropriate authorities immediately.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Inhalation: Avoid inhalation of dust. Use only in well –ventilated areas, in case of insufficient ventilation, wear suitable respiratory equipment.

Skin: Wear protective clothing, as well as protective gloves. Launder contaminated clothing before re –use. Avoid skin contact. Keep working clothes separately and do not take home.

Good personal hygiene practices should always be followed.

Eyes: Avoid contact with eyes. Wear eye /face protection.

DATE ISSUED: 23 October 2002

PREPARED BY: Avima

UPDATED: 17 October 2018

Ingestion: Keep away from food and feedstuffs. Do not eat, drink or smoke whilst handling this product. Wash hands and face before eating and drinking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue wax blocks

Odour: Vanillin odour

10. STABILITY AND REACTIVITY DATA:

Stability: Stable

Conditions to avoid: Heat, sparks, flame and build up of static electricity, spillage onto roadways, etc.

11. TOXICOLOGICAL INFORMATION:

Acute toxicity: (Technical) LD₅₀ Rats 0,4 mg/kg

Skin and Eye: (Technical) LD₅₀ Acute percutaneous LD₅₀ Rabbits 0,25 – 0,63 mg/kg
Slight to mild skin and eye irritant (rabbits).

A moderate skin sensitiser (guinea pigs), but negligible risk of sensitization from formulated product.

12. ECOLOGICAL INFORMATION:

Birds: Acute oral LD₅₀ for Japanese quail 11.6, chickens 4.5, mallard ducks 0.31 mg/kg. Dietary LC₅₀ (40 d) for mallard ducks 2.7, bobwhite quail 0.8 ppm.

Fish: LC₅₀ (96 h) for bluegill sunfish 0.165, rainbow trout 0.051 mg/l.

Daphnia: LC₅₀ (48 h) 0.34 mg a.i./l (as formulation).

The product is toxic to bees and aquatic organisms. Avoid release into environment in circumstances different to normal use.

13. DISPOSAL CONSIDERATIONS:

Waste disposal:

Destroy empty container by perforation or flattening, and do not use for any other purpose. Product should be utilized completely to avoid disposal. If not possible, dispose of at an appropriate waste disposal facility, in accordance with current applicable laws and regulations.

14. TRANSPORT INFORMATION:

Hazardous Description Label: Coumarin derivative pesticide, solid, toxic.

UN Hazard Class: 6.1

UN Packing Group: III

DATE ISSUED: 23 October 2002

PREPARED BY: Avima

UPDATED: 17 October 2018

IMO: Label(s): Poison

ICAO/IATA: Label(s): Poison

15. REGULATORY INFORMATION:

National legislation: RSA Registration number: L9292

16. OTHER INFORMATION:

Handle with care.

Prevent access to bait by children, uninformed persons and domestic animals.

Store under lock and key, away from food and feedstuffs.

Poisonous if swallowed and upon prolonged contact with the skin.

Toxic to fish and wildlife.
