

Actellic® 300 CS

READ THE ENTIRE LABEL

LEES VOLLEDIGE ETIKET

Actellic® 300 CS

Reg. No. xxxxxxxx (Act 36 of 1947)

Capsule Suspension.

Actellic® 300 CS is a long lasting organophosphate insecticide for use in vector control programs.

INSECTICIDE GROUP

1B

INSEKDODERGROEP

ACTIVE INGREDIENT:

Pirimiphos-methyl 300 g/l

12 x 0.833 ml (Packed in 1 l bottles)

Registration holder:

Syngenta South Africa (Pty) Ltd

(Co. Reg. No. 1998/013761/07)

Private Bag X 60

HALFWAY HOUSE 1685

TEL. (011) 541-4000

© SYNGENTA, AG

Emergency TEL: ++27 (0) 83 12 33911 (Bateleur 911)

Distributed by:

Arysta Life Science



Arysta LifeScience

Batch No.

Date of manufacture

UN




WARNINGS

- Handle with care
- Toxic to crustacea and other aquatic and soil arthropods
- Store in original container, in a cool place away from food and feedstuffs.
- Keep out of reach of children, uninformed persons and animals.
- DO NOT store below +5°C and above +35°C
- Irritating to the eyes
- Do not apply to animals.
- This product is effective for up to 8 months.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- **Operator Safety** Wear protective clothing when handling the concentrate or diluted spray mixture. AVOID getting product in contact with skin, eyes or clothing. DO NOT inhale dust or spray mist. DO NOT eat, drink or smoke during work. Wash hands and face before eating, drinking or smoking. In General: Change working clothes daily. The use of this product does not require cholinesterase monitoring in operators.
- wash with soap and water after use or accidental skin contact
- Wash clothing after day's work
- Do not eat, drink or smoke whilst applying or mixing or before washing hands and face
- Avoid contamination of food, feeds, drinking water and eating utensils
- Dispose of wash water where it will not contaminate food, grazing or water
- Plastic containers should be triple rinsed and disposed of via a waste management contractor for recycling or energy recovery. Empty the containers completely, rinse 3 times and add the rinse solution to the spray tank. Hazardous material, which cannot be triple rinsed (e.g. paper) should be disposed of at a site licensed to accept hazardous waste.



Actellic® 300 CS

Dispose of surplus product with a waste management contractor or on a landfill site approved for pesticides.

- Do not use the empty container for any other purpose

Pests	Dosage	Remarks								
Mosquito	INDOOR RESIDUAL SPRAYING (IRS) for VECTOR CONTROL The target dose of Actellic® 300 CS should be 1 g ai/m² applied in a volume of 40 ml diluted product per square metre on surfaces. One 833 ml bottle of Actellic® 300 CS in 10 L of water applied to 250 m² will result in 1 g ai/m². Dilute the formulation with water - do not use this product with oil. 1. Part fill the spray tank with clean water. 2. Shake bottle of Actellic® 300 CS before opening and empty contents into the spray tank. 3. Rinse the bottle and add rinsings to the tank. 4. Top up the tank to the required volume, close and pressurise. 5. Apply according to the WHO manual for IRS <table><tr><th>Water volume (liters)</th><th>Application rate of pirimiphos-methyl (g a.i. / m²)</th><th>Volume of Actellic® 300 CS to be added to sprayer tank (ml)</th><th>Appli-cation Volume (ml/m²)</th></tr><tr><td>10</td><td>1</td><td>833</td><td>40</td></tr></table>	Water volume (liters)	Application rate of pirimiphos-methyl (g a.i. / m ²)	Volume of Actellic® 300 CS to be added to sprayer tank (ml)	Appli-cation Volume (ml/m ²)	10	1	833	40	
Water volume (liters)	Application rate of pirimiphos-methyl (g a.i. / m ²)	Volume of Actellic® 300 CS to be added to sprayer tank (ml)	Appli-cation Volume (ml/m ²)							
10	1	833	40							

Equipment:



Actellic® 300 CS

Product should be applied via a calibrated compression sprayer that meets WHO specifications.

Cleaning: Clean the equipment with water.

First Aid Measures

KEEP STRICTLY AT REST AS CONTINUED MOVEMENT ENHANCES THE EFFECT OF CHOLINESTERASE INHIBITION.

If poisoning is suspected stop work immediately and call a physician. Show label to the physician. In case of contact with skin, remove contaminated clothing; wash affected body parts immediately with plenty of water and soap. Rinse splashes from eyes with abundant fresh and clean water for several minutes. If inhaled move to clean air. If swallowed, repeatedly administer medicinal charcoal in plenty of water. Seek medical advice immediately if a large volume of concentrate was ingested.

Note: Never give anything by mouth to an unconscious patient and never induce vomiting.

Antidote: Administer atropine sulfate, either by intramuscular or intravenously, dependant on severity of poisoning. Specific antidotes are oximes (e.g. Pralidoxime) or Toxogonin.

Spillage and Leakage: Collect spilt material thoroughly in a plastic bag and dispose of on a landfill-site approved for pesticides.

Note: Spilt product must not be re-used.

Shelf-life: The shelf life is at least 2 years from date of manufacture when stored in original containers.

Legal Aspects: Before applying the product read the label instructions.

Actellic® 300 CS = Registered Trademark of a Syngenta Group Company.

© SYNGENTA AG, 2000. Copyright of this document is reserved. All unauthorised reproduction is forbidden.



SA Reg: