

**BEFORE YOU OPEN THE BOTTLE,
READ THE SAFETY ADVICE.**

Shelf Life:

At least 2 years from formulation date in closed original containers.

Batch No. / Date of manufacture:

Please see Inkjet print.

In case of Poisoning Call Toll free No.:

0800 720 021 / 0800 730 030 (24 hr).



Actellic[®] 50EC
Insecticide

syngenta.

**Contains 500 g pirimiphos-methyl per litre as an emulsifiable concentrate.
A broad spectrum insecticide.**

**Ina 500 g ya pirimiphos-methyl kwa kila lita kama kioevu cha kuzimua.
Kiuwawadudu cha matumizi mbalimbali.**

Registration No.: / Nambari Ya Kusajiliwa:
PCPB(R) 0014

Manufacturer: / Imetengenezwa na:
Syngenta Crop Protection AG
Basel, Switzerland

1 Litre / Lita 1



**HARMFUL
NOCIF**



Product names marked ® or ™, the ALLIANCE FRAME, the SYNGENTA Logo and the PURPOSE ICON are Trademarks of a Syngenta Group Company.

**SOMA KWA
UANGALIFU MAELEZO
YALIYOAMBATANISHWA
KABLA HUJAANZA KUTUMIA
DAWA HII.**

750ml

Maisha rafuni:

Si chini ya miaka miwili au zaidi tangu siku ya kutengenezwa, ikiwa imehifadhiwa katika viwekeo vyake asilia vilivyofunikiwa.

**Kukiwa na kusumika piga simu
isiotozwa Nambari:**

0800 720 021 / 0800 730 030

(masaa 24).

500ml

250ml

approx. measure

L1051857 800/04X PPE 4106745

SAFETY PRECAUTIONS

- **ACTELIC® 50 EC CONTAINS PIRIMIPHOS-METHYL WHICH IS AN ORGANOPHOSPHORUS COMPOUND.**
- Do not use this product if a doctor has told you not to work with organophosphorous, carbamate or thiocarbamate compounds.
- Do not smoke, drink or eat while using this product.

FOR SAFETY WHEN MIXING

- **Wear eye protection** (at least glasses). Undiluted Actellic® 50 EC can irritate your eyes.
- If you get it in your eyes, wash it out at once. **See First aid.**
- **Wear synthetic rubber gloves.** Undiluted Actellic® 50 EC can irritate your skin.
- If you get it on your skin, wash it off at once.
- If you spill it on your clothes, change and wash them immediately.
- After emptying container, pressure rinse or rinse three times manually adding washings to spray tank.

FOR SAFETY WHEN SPRAYING

- As with all chemicals, avoid contact with the spray as much as you can.
- During application, wear eye protection and a mask covering nose and mouth.
- Dispose of unwanted spray solution by spraying off on waste ground (or use other approved local disposal procedure).

FOR SAFETY AFTER SPRAYING

- Empty containers should be triple rinsed and disposed of via a waste management contractor.
If these are not available, rinsed containers should be disposed of following local regulations.
- To avoid harming fish, do not dump unwanted Actellic® 50 EC in water.
- Keep unused Actellic® 50 EC in this container, tightly closed, **locked up out of reach of children** and away from food.
- **Wash yourself.** Change and wash your work clothes.

FIRST AID

Eye splashes:

Hold eyelids apart and pour in a gentle stream of water for 10-15 minutes. Go to a doctor.

IF ACTELIC® 50 EC IS SWALLOWED do not make the person vomit.

Take the person and this container to a doctor at once for medical treatment.

MEDICAL TREATMENT

Perform gastric lavage, taking care to prevent aspiration of gastric contents. Then treat symptomatically.

ANTIDOTES: Atropine, PAM, Toxogonin.

® Registered Trademark of a Syngenta Group Company

Recommended rates of Application

Target Pest and Situation	Active ingredient / area	Diluent	Actellic per litre of spray solution	Amount of spray solution per unit area applied
Residual Malaria mosquitoes Flies and nuisance mosquitoes: indoors Flies: long outdoors Cockroaches	1-2 g/m ² 0.5 g/m ² 1-2 g/m ² 1-2 g/m ²	water water water water	50-100 ml 25 ml 50-100 ml 50-100 ml	Apply spray solution at a rate of 40 ml per m ² of surface
Space treatment Mosquito Thermal fog • hand held • vehicle mounted Cold aerosol ULV • ground • aerial	100 g/ha 100 g/ha 100 g/ha 200 g/ha	kerosene / diesel kerosene/diesel kerosene/diesel kerosene/diesel	100 ml 40 ml 400 ml 200 ml	2 lt/ha 5 lt/ha 0.5 lt/ha 2 lt/ha
Flies Thermal fog • hand held • vehicle mounted Cold aerosol ULV • ground • aerial	200 g/ha 200 g/ha 250 g/ha 400 g/ha	kerosene/diesel kerosene/diesel kerosene/diesel	200 ml 80 ml 1 l 400 ml	2 lt/ha 5 lt/ha 0.5 lt/ha 2 lt/ha
Mosquito larvicide • short persistence / shallow water • long persistence deep water	50 g/ha 500 g/ha	water water	1 ml 10 ml	100 lt/ha 100 lt/ha

TAHADHARI ZA KIUSALAMA

- **ACTELLIC® 50 EC INA PIRIMIPHOS-METHYL AMBAYO NI MSOMBO UNAITWA ORGANOPHOSPHORUS COMPOUND.**
- Usitumie kemikali ikiwa daktari amekuagiza kutotumika na organophosphorous, carbamate au thiocarbamate compounds.
- Usivute, usinywe wala usile unapotumia dawa hii.

KWA USALAMA WAKATI UNAPOCHANGANYA

- Vaa kinga za macho (walao miwani). Actellic® 50 EC isiyochanganywa na maji huweza kusumbua macho yako.
- Ikiingia kwenye macho yako, ioshe mara moja.
- **Cheki Huduma ya Kwanza.**
- **Vaa glavu za mpira ya kisintetiki.** Actellic® 50 EC isiyochanganywa na maji huweza kusumbua ngozi yako.
- Ikigusa ngozi yako, ioshe mara moja.
- Ikimwagika kwenye nguo zako, badilisha na uzioshe mara moja.
- Baada ya kumaliza kutumia debe, safisha na maji yenye presha au safisha mara tatu kwa mkono ukiongeza vioevu vya kuosha navyo kwenye debe la kunyunyizia.

KWA USALAMA WAKATI WA KUNYUNYIZIA

- Kwa matumizi ya kemikali zote, **epukana na dawa yenye kupuliziwa kimakini.**
- Wakati wa matumizi, vaa kinga za macho na kinyango kwa kufunika pua na mdomo.
- Tupa dawa ya kunyunyiza isiyohitajika kwa kupuliza.

KWA USALAMA BAADA YA KUNYUNYIZIA

- Lazima debe tupu zisafishwe mara tatu na zitupwe kupitia wasimamizi wa taka. Ukosefu wa hawa, debe zenye kuoshwa zitatupwa kulingana na sheria za mtaa.
- Kwa kuepukana na madhara kwa samaki, usitupe kwenye maji Actellic® 50 EC iliobaki.
- Weka Actellic® 50 EC haijatumiwa kwa mkebe hii, funga vyema, na itie sehemu ambayo watoto hawaweze kufika na mbali na chakula.
- Jioshe mwenyewe.

HUDUMA YA KWANZA

Ikiingia kwenye macho: tenga kope za macho na osha na maji kwa muda wa dakika 10-15.
Ona daktari.

Usimtapishe mtu ikiwa anameza ACTELLIC® 50 EC.
Mpeleke mara moja pamoja na hii debe kwa daktari kwa ajili ya matibabu.

MATIBABU
Tumia umaji wa hara kwa kusafisha tumbo, uwe mwangalifu ili uzuie kuvuta umaji utakaotoka tumboni. Baadaye tibu kwa kufuta dalili.
TIBA: Atropine, PAM, Toxogonin.

© Alama ya biashara ya kampuni ya Syngenta

Kiwango cha matumizi yenye kupendekeza

Wadudu ambao wanalengwa na hali	Viungo tayari / eneo	Kizimuaji	Actellic kwa lita ya mchang-anyiko wa kunyunyizia	Kiasi cha mchanganyiko kwa kila kitengo cha eneo litakalopuliziwa
Mabaki Malaria mbu nzi na mbu zinazosumbua: ndani ya numba Nzi: muda mrefu inje Mende	1-2 g/m ² 0.5 g/m ² 1-2 g/m ² 1-2 g/m ²	maji maji maji maji	50-100 ml 25 ml 50-100 ml 50-100 ml	Tumia mchanganyiko kwa kiwango cha 40 ml kwa kila m ² ya eneo
Kutibu kwa nafasi Mbu Unyevu moto • kutumia kwa mkono • kutumia juu ya gari Debe la kupulizia ULV • chini • hewani	100 g/ha 100 g/ha 100 g/ha 200 g/ha	mafuta ya taa / dizeli mafuta ya taa / dizeli mafuta ya taa / dizeli mafuta ya taa / dizeli	100 ml 40 ml 400 ml 200 ml	2 lt/ha 5 lt/ha 0.5 lt/ha 2 lt/ha
Nzi Unyevu moto • kutumia kwa mkono • kutumia Juu ya gari Debe la kupulizia ULV • chini • angani	200 g/ha 200 g/ha 250 g/ha 400 g/ha	mafuta ya taa / dizeli mafuta ya taa / dizeli mafuta ya taa / dizeli mafuta ya taa / dizeli	200 ml 80 ml 1 l 400 ml	2 lt/ha 5 lt/ha 0.5 lt/ha 2 lt/ha
Viuatilifu vya mbu • muda ya kutosha/ maji mafupi • muda mrefu kwenye maji marefu	50 g/ha 500 g/ha	maji maji	1 ml 10 ml	100 lt/ha 100 lt/ha

NO TEXT HERE

GLUE PAGE

PAGE NUMBER SEQUENCING IS DETERMINED BY THE FINAL LEADING EDGE.
RIGHT HAND STARTS FROM BACK OF BOOKLET. LEFT HAND STARTS FROM FRONT OF BOOKLET.
FIRST (FRONT) PAGE IS ALWAYS FIXED ON TOP OF BOOKLET.

BASE

NON-PRINTABLE