

## WARNING

### HAZARD STATEMENTS:

- May be harmful if swallowed.
- May be harmful in contact with skin.
- May be harmful if inhaled.

### PRECAUTIONARY STATEMENTS:

- Wear protective gloves/protective clothing/eye protection/face protection.
- Obtain special instructions before use.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Do not handle until all safety precautions have been read and understood.
- Specific treatment (see first aid section and read label).
- Call a POISON CENTER/doctor if you feel unwell.
- Store locked up.
- Dispose of contents/container to local and national regulations. Never reuse container.
- Collect unused, spoiled or unconsumed bait and dead rodents and dispose of in a responsible manner.

### SYMPTOMS OF POISONING

Headache, confusion, personality change, tremors, convulsive seizures, respiratory distress.

### FIRST AID TREATMENT

#### General information:

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation:

No special measures are necessary.  
Provide fresh air.

#### Following skin contact:

Wash with soap and water.

#### Following eye contact:

In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eye-bath or water.

#### Following ingestion:

IF SWALLOWED: Rinse mouth.  
Do NOT induce vomiting.

| Relevant Substance | Concentration (%) |
|--------------------|-------------------|
| Bromethalin        |                   |
| CAS N°             | 63333-35-7        |
|                    | C ≤ 0.011%        |

6508-3

**POISON CENTER: +27 861 555 777**  
**+27 83 272 3302 (PES)**  
**+27 83 295 1313 (PES)**

### NOTE TO PHYSICIAN

If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms if present, would be the results of cerebral oedema and should be treated accordingly through administrations of an osmotic diuretic and corticosteroid.

### NOTE TO VETERINARIAN

Limit absorption by emesis or gastric gavage.

### USE RESTRICTIONS

For control of Norway and roof rats and house mouse: Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. This rodenticide must be applied in tamper-resistant bait stations. Do not broadcast bait. This bait may be used in and around homes, agricultural, industrial, commercial, and public buildings.

**Urban areas:** This rodenticide may be used in and around the periphery of homes, industrial, commercial and public buildings. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. May also be used in alleys.

**Non-urban areas:** This rodenticide may only be used in and around homes and agricultural buildings.

#### Please note:

Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtain bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock or other potentially destructive animals or in areas prone to vandalism.

# FASTRAC<sup>®</sup>

## BLOX

Reg. No.: L9774 Act No. 36 of 1947

**READ THE LABEL BEFORE USE**  
**AND**  
**KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

A ready-for-use bait block for the control of roof and Norway rats and the house mouse in and around industrial, commercial and public buildings, in transport vehicles and in and around human dwellings and agricultural buildings.

Active Ingredient: BROMETHALIN ..... 0.11 g/kg

## NET WEIGHT: 1.8 kg

#### Registration Holder:

MC Pharma (Pty) Ltd.

Co. Reg. No. 1999/009355/07

62 Constantia Avenue Mrandi, Centurion, Gauteng, 0157

Tel. No. +27 (0)12 668-3019

www.mcpharma.co.za

#### Distributor:

Pathogen & Environmental Solutions (Pty) Ltd.

Co. Reg. No. 2011/006448/07

Unit 37 Silver Park, Silver Street,

Brackenfell Industria, Cape Town, 7560.

Tel. No. +27 (0) 21 982-8689 or +27 (0) 83 295 1313

info@pesafrica.net

Date manufactured: see container

Expiry date: see container

Batch No.: see container

UN No.: 2811

### DIRECTIONS FOR USE

#### USE ONLY AS DIRECTED!

#### GENERAL:

Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

#### SELECTION OF TREATMENT AREAS:

Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain, direct sunlight and other extreme climatic conditions. Remove as much alternative food as possible.

#### APPLICATION DIRECTIONS:

**MICE:** Place 1 block per placement. Space placement at 2.5-to-3.5-meter intervals. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

**RATS:** Place 2 to 12 blocks (usually at intervals of 4.5 to 9.2 meters) per placement. Adjust the amount of bait applied to the level of rat feeding expected at each bait placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**FOR USE IN SEWER:** Thread wire through block and securely attach to a stationary structure such as the bottom step of a manhole ladder or a sewer grate. Allow just enough wire for the block to rest on manhole benching. If benching is not present, suspend block a few centimetres above the high-water mark of secure ladder. Securing the block in this manner will prevent removal by rats or water. Use at least 15 blocks per manhole. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead, exposed animals and leftover bait. To prevent re-infestation, limit sources of rodent food, water and harbourage as far as possible. If re-infestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait station and replenish as needed.

Each bait block in this container weighs nearly 20 g.

#### STORAGE AND DISPOSAL:

Do not contaminate water, food or feedstuffs by storage or disposal.

**Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep container closed and away from other chemicals.

**Pesticide disposal:** In accordance with local and national regulations. Do not allow material to contaminate ground water system. Do not contaminate surface water.

**Pesticide container:** Do not re-use empty container. Do not contaminate ponds, waterways or ditches with chemical or used container. Destroy empty container by perforation and burn. If burning, stay out of smoke. Never use for any other purpose.

Fastrac<sup>®</sup> is a registered trademark of Bell Laboratories, Inc. U.S.A.



Manufactured by:  
**Bell**  
LABORATORIES, INC.

3699 Kinsman Blvd.  
Madison, WI 53704 U.S.A.  
www.belllabs.com  
**MADE IN USA**

Product Code: 993218  
072723/07-23