

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	01.02.2018	S1469361887	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ACTELLIC 300CS

Design code : A15293BA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG
Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address of person responsible for the SDS : sds.ch@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

ACTELLIC 300CS

Version 2.0 Revision Date: 01.02.2018 SDS Number: S1469361887 This version replaces all previous versions.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

EUH208 Contains 1,2-benzisothiazol-3-one.
May produce an allergic reaction.

Precautionary statements :

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pirimiphos-methyl (ISO)	29232-93-7 249-528-5 015-134-00-5	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 25 - < 30
solvent naphtha (petroleum), light arom.	64742-95-6 265-199-0 649-356-00-4 01-2119455851-35	Flam. Liq. 3; H226 STOT SE 3; H336 STOT SE 3; H335 Asp. Tox. 1; H304	>= 2.5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

		Aquatic Chronic 2; H411	
α , α -dimethylbenzyl hydroperoxide	80-15-9 201-254-7 617-002-00-8	Org. Perox. E; H242 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 2; H411	$\geq 0.25 - < 1$
ammonia, anhydrous	7664-41-7 231-635-3 007-001-00-5 01-2119488876-14	Flam. Gas 2; H221 Press. Gas Acute Tox. 3; H331 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400	$\geq 0.25 - < 1$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	$\geq 0.025 - < 0.05$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Poisoning produces effects associated with anticholinesterase activity which may include:
Nausea
Diarrhoea
Vomiting

Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Consider taking venous blood for determination of blood cholinesterase activity (use heparin tube)
Administer atropine sulphate as antidote.
Specific antidotes are oximes (e.g. Pralidoxime) or Toxogonin

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
pirimiphos-methyl (ISO)	29232-93-7	TWA	3 mg/m ³ (Skin)	Syngenta
solvent naphtha (petroleum), light arom.	64742-95-6	TWA	19 ppm 100 mg/m ³	Supplier
ammonia, anhydrous	7664-41-7	STEL	50 ppm 36 mg/m ³	2000/39/EC
Further information	Indicative			
	7664-41-7	TWA	20 ppm 14 mg/m ³	2000/39/EC
Further information	Indicative			
	7664-41-7	STEL	40 ppm 28 mg/m ³	CH SUVA
Further information	National Institute for Occupational Safety and Health, Occupational Safety and Health Administration, Harm to the unborn child is not to be expected when the OEL-value is respected			
	7664-41-7	TWA	20 ppm 14 mg/m ³	CH SUVA
Further information	National Institute for Occupational Safety and Health, Occupational Safety and Health Administration, Harm to the unborn child is not to be expected when the OEL-value is respected			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
solvent naphtha (petroleum), light arom.	Workers	Inhalation	Long-term systemic effects	150 mg/m ³
	Workers	Dermal	Long-term systemic effects	25 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m ³
	Consumers	Dermal	Long-term systemic effects	11 mg/kg
	Consumers	Oral	Long-term systemic effects	11 mg/kg
ammonia, anhydrous	Workers	Inhalation	Acute local effects	28 mg/m ³
	Workers	Inhalation	Long-term local effects	14 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonia, anhydrous	Fresh water	0.165 mg/l
	Marine water	0.0165 mg/l
	Intermittent use/release	0.28 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

	Sewage treatment plant	8.58 mg/l
	Fresh water sediment	0.0165 mg/kg
	Soil	32.3 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove length : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

over the use of personal protective equipment.
When selecting personal protective equipment, seek
appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid, opaque, free flowing
Colour	:	beige to brown
Odour	:	characteristic, Moderate sulphur-like
Odour Threshold	:	No data available
pH	:	> 5.0 - 7.5 Concentration: 100 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.065 g/cm ³ (25 °C)
Solubility(ies)		
Solubility in other solvents	:	Miscible Solvent: Water
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	570 °C
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

Viscosity

Viscosity, dynamic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg

LD50 (Rat, female): > 5,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

pirimiphos-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 1,414 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.04 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

solvent naphtha (petroleum), light arom.:

Acute oral toxicity : LD50 (Rat): 3,952 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 6.193 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

α , α -dimethylbenzyl hydroperoxide:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

ammonia, anhydrous:

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 1,020 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation

Components:

pirimiphos-methyl (ISO):

Species : Rabbit
Result : No skin irritation

solvent naphtha (petroleum), light arom.:

Species : Rabbit
Result : Mild skin irritation

α , α -dimethylbenzyl hydroperoxide:

Result : Corrosive after 3 minutes to 1 hour of exposure

ammonia, anhydrous:

Result : Corrosive after 3 minutes to 1 hour of exposure

1,2-benzisothiazol-3(2H)-one:

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation

Components:

pirimiphos-methyl (ISO):

Species : Rabbit
Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Result : Risk of serious damage to eyes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

Respiratory or skin sensitisation

Product:

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Components:

pirimiphos-methyl (ISO):

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

pirimiphos-methyl (ISO):

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

solvent naphtha (petroleum), light arom.:

Germ cell mutagenicity-
Assessment : Weight of evidence does not support classification as a germ cell mutagen., Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

Carcinogenicity

Components:

pirimiphos-methyl (ISO):

Carcinogenicity -
Assessment : No evidence of carcinogenicity in animal studies.

solvent naphtha (petroleum), light arom.:

Carcinogenicity -
Assessment : Weight of evidence does not support classification as a carcinogen, Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

Reproductive toxicity

Components:

pirimiphos-methyl (ISO):

Reproductive toxicity -
Assessment : No toxicity to reproduction

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

solvent naphtha (petroleum), light arom.:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Components:

solvent naphtha (petroleum), light arom.:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

Components:

pirimiphos-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

α , α -dimethylbenzyl hydroperoxide:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Components:

solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Components:

pirimiphos-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.64 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.21 µg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.38 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version 2.0 Revision Date: 01.02.2018 SDS Number: S1469361887 This version replaces all previous versions.

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.3 mg/l
End point: Growth rate
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 4.5 mg/l
Exposure time: 6 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.05 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1,000

solvent naphtha (petroleum), light arom.:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 2.6 - 2.9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

NOELR (Pseudokirchneriella subcapitata (green algae)): 1 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOELR: 1.23 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2.14 mg/l
Exposure time: 28 d
Species: Daphnia magna (Water flea)

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

α, α-dimethylbenzyl hydroperoxide:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

ACTELLIC 300CS

Version 2.0 Revision Date: 01.02.2018 SDS Number: S1469361887 This version replaces all previous versions.

ammonia, anhydrous:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

12.2 Persistence and degradability

Components:

pirimiphos-methyl (ISO):

Stability in water : Degradation half life: 4 - 6 d
Remarks: Product is not persistent.

solvent naphtha (petroleum), light arom.:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

pirimiphos-methyl (ISO):

Bioaccumulation : Remarks: High bioaccumulation potential.

12.4 Mobility in soil

Components:

pirimiphos-methyl (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 8.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

Components:

pirimiphos-methyl (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

solvent naphtha (petroleum), light arom.:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

	N.O.S. (PIRIMIPHOS-METHYL)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PIRIMIPHOS-METHYL)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PIRIMIPHOS-METHYL)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PIRIMIPHOS-METHYL)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (PIRIMIPHOS-METHYL)

14.3 Transport hazard class(es)

ADN	: 9
ADR	: 9
RID	: 9
IMDG	: 9
IATA	: 9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

Labels : Miscellaneous

IATA (Passenger)

Packing instruction : 964

(passenger aircraft)

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

pollutants

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:
(3)
solvent naphtha (petroleum), light arom. (29, 28)

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H221	: Flammable gas.
H226	: Flammable liquid and vapour.
H242	: Heating may cause a fire.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Flam. Gas	: Flammable gases
Flam. Liq.	: Flammable liquids
Org. Perox.	: Organic peroxides
Press. Gas	: Gases under pressure
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 300CS

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	01.02.2018	S1469361887	

Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
CH SUVA	:	Switzerland. Limit values at the work place
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
CH SUVA / TWA	:	Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELIC 300CS

Version
2.0

Revision Date:
01.02.2018

SDS Number:
S1469361887

This version replaces all previous versions.

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN